



ISOSCAFF
PROTECTSYSTEEM

THE PROTECTION SYSTEM, APPLICABLE TO
ANY TYPE OF SCAFFOLDING.



WALLS | ROOFS | ANTI - ENTERING |
HOUSING


E-MAIL: SUPPORT@ISOSCAFF.NL
WEBSITE: WWW.PROTECTSYSTEEM.NL



ISOSCAFF
PROTECTSYSTEEM

ISOSCAFF PROTECT SYSTEM BV ORIGINATES FROM GARANT GROUP SNEEK, WHICH STARTED WRAPPING VARIOUS OBJECTS USING SHRINK FILM IN 2006. AS THE DEMAND GREW FOR MORE SUSTAINABLE (ENVIRONMENTALLY FRIENDLY) AND SAFER SOLUTIONS, THE COMPANY EXPANDED ITS OFFERINGS WITH THE ISOSCAFF PROTECT SYSTEM. CHANGES AND REQUIREMENTS IN THE CONSTRUCTION AND INDUSTRIAL SECTORS ALSO PLAYED A ROLE IN THIS EVOLUTION. WITH THE ISOSCAFF PROTECT SYSTEM, CUSTOMERS CAN MEET INCREASINGLY HIGHER DEMANDS AND SAFETY REGULATIONS FROM THEIR CLIENTS.

TO ENSURE NATIONAL COVERAGE, ISOSCAFF MIDDEN-ZUID WAS ESTABLISHED IN LATE 2017. WITH OUR OWN DEPOT IN THE CENTER OF THE COUNTRY, WE CAN NOW EFFICIENTLY SERVE BOTH THE MIDDLE AND SOUTHERN REGIONS OF THE NETHERLANDS.



E-MAIL: SUPPORT@ISOSCAFF.NL
WEBSITE: WWW.PROTECTSYSTEEM.NL




ISOSCAFF
PROTECTSYSTEEM

THE ISOSCAFF PROTECT SYSTEM CONSISTS OF A COMBINATION OF ALUMINUM PROFILES, CONNECTORS, AND 16MM-THICK POLYCARBONATE SHEETS. ISOSCAFF OFFERS TWO DIFFERENT TYPES OF PROFILES:

- STRAIGHT PROFILES
- CORNER PROFILES.

THE SHEETS ARE INSERTED INTO THE PROFILES, CREATING A STRONG AND WATERPROOF SEAL. THE ISOSCAFF PROTECT SYSTEM IS ASSEMBLED ON-SITE, PIECE BY PIECE, TO THE SCAFFOLD USING THE PROVIDED CONNECTORS.



THE ISOSCAFF PROTECT SYSTEM ENABLES THE QUICK CONSTRUCTION OF WALLS, ROOFS, ANTI-BURGLARY SYSTEMS, OR COMPLETE ENCLOSURES. THE SYSTEM IS COMMONLY USED AS A TEMPORARY WORKSPACE SOLUTION BUT IS ALSO INCREASINGLY UTILIZED AS A SEMI-PERMANENT SOLUTION FOR CREATING ADDITIONAL WORKSPACE IN VARIOUS LOCATIONS WITHOUT REQUIRING A BUILDING PERMIT.

E-MAIL: SUPPORT@ISOSCAFF.NL
WEBSITE: WWW.PROTECTSYSTEEM.NL



ISOSCAFF
PROTECTSYSTEEM

THE ADVANTAGES OF THE ISOSCAFF PROTECT SYSTEM ARE:

- LIGHTWEIGHT
- ASSEMBLY WITHOUT A CRANE
- HIGH INSULATION VALUE
- NOISE REDUCTION (21DB)
- LOCKABLE WITH DOORS
- TRANSPARENT TO LIGHT
- FIRE RESISTANCE CLASS B1
- VANDALISM AND STORM-RESISTANT




E-MAIL: SUPPORT@ISOSCAFF.NL
WEBSITE: WWW.PROTECTSYSTEEM.NL



ISOSCAFF
PROTECTSYSTEEM

ISOSCAFF Daken



E-MAIL: SUPPORT@ISOSCAFF.NL
WEBSITE: WWW.PROTECTSYSTEEM.NL



ISOSCAFF
PROTECTSYSTEEM

ISOSCAFF Wanden




E-MAIL: SUPPORT@ISOSCAFF.NL
WEBSITE: WWW.PROTECTSYSTEEM.NL



ISO SCAFF
PROTECTSYSTEEM

ISO SCAFF Anti - Inbraak



E-MAIL: SUPPORT@ISOSCAFF.NL
WEBSITE: WWW.PROTECTSYSTEEM.NL

ISOSCAFF Behuizing

